Hydrobiologia **334:** 287–295, 1996.
K.A. Coates, Trefor B. Reynoldson & Thomas B. Reynoldson (eds), Aquatic Oligochaete Biology VI.

Index

Abarenicola, 258
abundance, 97, 100, 104ff, 143f, 150, 157, 159, 161, 169, 171f, 175, 188, 190f, 194ff
Abyssidrilus, 39
Acanthobdella, 277
acanthobdellids, 277ff
acapillatus (Tasserkidrius), 92
Achaeta, 18, 23, 76
achaeta (Marionina), 255, 257
Acroloxus, 118
Adelodrilus, 39
Adriatic Sea, 112
adriaticus (Bathydrilus), 39
Aeolosoma, 69, 94, 116f
Aeolosomatidae, 63ff, 117f, 121, 133, 236
aequiseta (Pristina), 22, 24, 28, 40f, 47, 66, 76, 79, 82, 117f, 150, 153
affinis (Pontoporeia), 186
Africa/n, 23f, 28, 42f, 63ff
africana (Dero), 41, 45
africana (Myxobdella), 279ff
age, 125ff
age structure, 125f
agnes (Limnodriloides), 39, 59, 104f, 112
Agriodrilus, 69
Aktedrilus, 39, 104
Alabama, 1ff
Alaria, 52
alatus paravanicus (Potamothrix), 134ff
albanensis (Phallodrilus), 59
albicola (Psammoryctides), 39, 66, 117f, 187
albidus (Enchytraeus), 241, 246, 251ff, 264f
Alexandrovia, 89
algal mats/turfs, 51ff
Algeria, 41, 44
allobrogum (Trichodrilus), 39, 41
allochthonous organic matter, 186ff
Allonais, 44
Alluroides, 66
Alluroididae, 11ff, 17ff, 64, 66
Alluroidinae, 15
Alma, 248
alpina (Nais), 40, 47, 76, 79, 82, 150f, 196
americana (Pristina), 20ff, 25, 28
americanum (Bothrioneurum), 19, 24, 28, 67
americanus (Brinkhurstia), 21, 23
americanus (Metataxis), 67
Americobdella, 279ff
amphibiotica (Pristinella), 40
amphibious habits, 280
Amphichaeta, 40, 66, 69, 135, 187, 196
Amphipoda/amphipods, 55, 64, 91, 134f, 163
anarrhichae (Platybdella), 279ff
ancient lakes, 63ff
andina (Nais), 67
andina pectinata (Nais), 42
Anegada, 23
angustifola (Typha), 116
angustipenis (Varichaetidrilus), 6
animal mats, 52ff
annual production, 145
anoxia, 134
antipiretica (Fontinalis), 137
antipodum (Epirodrilus), 67f
Aphanoneura/aphanoneurans, 63, 94, 115, 117f
appendiculata (Marionina), 53, 56f
appendiculata (Slavina), 20, 24, 40, 47, 66, 76, 82, 117f, 178ff, 187
appendiculatus (Limnodriloides), 39, 104ff
aquatic leeches, 280ff
aquaticus (Asellus), 195
Arabian Gulf, 112
arcaliae (Pristinella), 44
Arcteonais, 44, 66, 187
Arctic, 89, 93
arenarius (Clitellio), 255ff
Arenicola, 258
arenicolus (Heterodrilus), 39
argentea (Marionina), 76, 78, 149
Argentina, 23ff
Arhynchbdellida, 280ff
Armenia, 133ff
Asellus, 195
asexual reproduction, 119
Aspidodrilus, 17ff
atrata (Cernosvitoviella), 76, 82
atrium/a, 1, 11, 13ff, 219ff
aufwuchs, 115ff
Aulodrilus, 8, 21, 66, 70f, 98, 149, 179, 186
Aulophorus (see Dero)
aurantiacus (Stylodrilus), 7
auratus gibelio (Carassius), 136
Australia, 112
australis (Phragmites), 115ff
Austria, 41

bacteria, 121
baicalensis (Manayunkia), 91
Baikalodrilus, 67f, 70, 92, 94
balanoides (Semibalanus), 54, 59
Baltic Sea, 185
Barbados, 23
barbata (Nais), 40, 42, 46f, 66, 87, 117f, 150, 187, 196

barbatus (Psammoryctides), 39, 98f, 117f, 149, 158, 187, 189ff
Barbronia, 279ff
bare zone, 52, 54
barnacle zone, 52ff
barnacles, 51ff
bathybates (Biwadrilus), 66
Bathydrilus, 39, 59
bavaricus (Potamothrix), 39, 66f
bazikalovae (Tubifex), 92
bedoti (Potamothrix), 39f, 98
beetoni (Spirosperma), 67
behningi (Nais), 40, 47
benedeni (Spirosperma), 41
benedii (Tubificoides), 39, 53, 56ff
Benhamia, 15
bermudensis (Pontodrilus), 255, 257
Bichaeta, 39, 158
bihorensis (Nais), 44
bilobata (Pristinella), 40, 76, 78
bioassays, 199ff
biodiversity, 28
biomass, 104, 108f, 115f, 118ff, 125, 133ff, 144, 159, 161, 185, 188ff
biomonitoring, 31, 157, 161
birsteini (Paranais), 40f, 45, 47
birth rate, 142ff
biserrata (Pristina), 19, 21, 24, 28
bisetosa (Fridericia), 66, 76
Bithynia, 118
Bivalvia/bivalves, 134, 186, 258
Biwadrilidae, 64, 66, 69
Biwadrilus, 66, 69
Black Sea, 104, 112
blanchardi (Tubifex) also see tubifex (Tubifex), 39, 41
blanci (Piguetiella), 44, 187
blood vascular system, 4, 7ff, 11f, 241ff
body wall, 229ff, 242, 248
body wall muscles, 229, 235, 238
Bohemia, 229f
Bolivia, 23f, 42
bonomii (Inanidrilus), 39
borellii (Dero), 22f, 28
Bothrioneurum, 19, 39, 66, 70, 150f
botniensis (Paranais), 44
brachystylus (Stylodrilus), 39
branchiatus (Ozobranchus), 279ff
branchiobdellidans, 219, 277ff
Branchiura, 39, 66, 70f, 125, 149, 163, 241
Bratislavia, 44
Brazil, 17, 23, 28
bretscheri (Nais), 40f, 45, 47f, 66, 150, 196f
brevidentatus (Rhyacodrilus), 67
Brinkhurstia, 15, 17ff, 27
Britain, 59
buchholzii (Enchytraeus), 67
Bythonomus (see Stylodrilus), 6, 158, 241

cadmium, 199f, 201f, 204f
Caecidotea, 6
californianus (Mytilus), 59
Cambarincola, 219, 224ff
Cambarincolidae, 224
Cambarus (Puncticambarus), 220
Campecopaea, 54
Canada, 199
canaliculata (Pelvetia), 52
canonical correspondence analysis/es, 77ff
Carassius, 136
carbohydrate-containing secretions, 220
Caribbean, 112
Caridinophilus, 224, 226
Caspian Sea, 44, 112
Central America, 17, 23f, 111
Ceramium, 54
Ceratopogonidae, 195f
Cernosvitoviella, 76, 93, 150, 153
chaeta/ae (see seta/ae)
Chaetogaster, 20, 40ff, 66, 68f, 76, 94, 115, 118, 121, 149, 187, 195
Chaoborus, 159, 161, 196
Chara, 137, 175
chevreuxi (Parasinelobus), 54
Chile, 24
China, 42, 112
Chironomidae/chironomid, 55, 91ff, 98, 100, 134f, 143, 159ff, 163, 193ff
Chironomus, 143
chlorophyll a, 142f
christinae (Nais), 40, 47, 196
chromium, 199f, 201f, 205
chromosome numbers, 271ff
chronic toxicity, 163
Chthamalus, 54
cichlids, 64, 68
cinematography, 263ff
Cirratulus, 54
cirratus (Cirratulus), 54, 58
Cladophora, 194
clapared(e)ianus (Limnodrilus), 39, 66, 98ff, 134ff, 173ff, 187
claparedei (Trichodrilus), 39, 41
clay, 97ff
Clitellata, 219, 263, 278f
Clitellio, 255
clitellum, 263f
coccineus (Rhyacodrilus), 39, 41, 47, 94, 134ff, 187
cocoons, 143, 165ff, 199, 201ff, 263ff, 278f, 282f
coelomocytes, 32ff
Cognettia, 22, 76, 149
cognettii (Cognettia), 76, 79, 82
cohort, 125ff
cold diapause, 94
cold hardy, 94
Coleoptera, 196
Colombia, 24
colonization period, 169, 182
comata (Vejdovskyella), 40, 76f, 79, 82, 149
communis (Nais), 40, 47, 66, 76, 94, 150f, 173ff, 187, 196
competition, 189
complanata (Glossiphonia), 279ff
composition (species), 103f, 110
Copepoda, 196, 258
copper, 199f, 201f, 204f
copulation, 15, 263ff
Corallina, 51ff
Corallina zone, 52f, 55
coralline algae, 52ff
Coralliodrilus, 39
correlation analysis, 190

correspondence analysis/es, 76ff
Costa Rica, 23f
costata (Heterochaeta), 39, 251f, 254ff
costata (Tubifex) see costata (Heterochaeta)
cracks, 51ff
Crangonyx, 6
crassiseptus (Tubifex), 92
crevices, 51ff
Criodrilidae, 37, 40, 66, 69
Criodrilus, 40, 66, 69
cristallinus (Chaetogaster), 40, 76, 117f
cross-striated fibers, 207
Crustacea/ans, 6, 109, 149, 154, 186, 190
cryofauna, 89
cryolittoral, 93f
cryptic habitats, 51ff
crypticus (Enchytraeus), 263ff
cryptofauna, 51ff
crystallinus (Chaetogaster) see cristallinus
cultures, 35, 126ff, 199f, 205, 252, 263ff
cuneus (Aktedrilus), 39, 104ff
cunningtoni (Ocnerodrilus), 67
current, 73f, 76f, 79f
curvithecus (Stylodrilus), 7
cuspis (Abyssidrilus), 39, 42, 47
cuticle, 229, 231, 234
cyanobacteria, 54, 58, 160
Cycliobdella, 279ff
Czech Republic, 41, 47

Daphnia, 204
death rate, 145
decora (Macrobdella), 279ff
demography, 125ff
densespectinis (Gianius), 39
density (of oligochaetes), 57f, 86f, 105ff, 115f, 118ff, 125, 186f
Dero, 6, 17ff, 26, 40f, 45, 66, 69f, 149, 173, 187
descolei (Paranadrilus), 22, 24f, 28
deserticola (Psammoryctides), 66
detritus, 121
development, 4, 6f, 263f, 265f
developmental stage, 125ff
diaphanus (Chaetogaster), 40, 42, 47, 66, 94, 117f, 150f, 187, 196
diastrophus (Chaetogaster), 40, 43, 47, 66, 76, 94, 115ff, 150, 196f
diatoms, 121, 149
Dichogaster, 15
digitata (Dero), 6, 21ff, 28, 40, 43, 47, 66f, 149, 173ff
digitata (Laminaria), 52, 55
dipterans, 193, 196
dispersal, 60
distribution, 51ff, 63ff, 73ff, 97, 100, 103f, 110, 112, 133, 150
ditches, 169ff
diversicolor (Hediste), 255, 257
diversisetosus (Chaetogaster), 42, 44
diversity, 58, 64ff, 108ff, 185, 188f
dorsalis (Dero), 40, 43, 47
drift (of bottom fauna), 193ff, 196
drift compensation, 197
dubius (Haplotaxis), 66
Dutch West Indies, 23

east Asia, 24
Echinogammarus, 91
Eclipidrilus, 7, 39
ecological succession, 58f
ecological varieties, 42f, 180
Ecuador, 17
edulis (Mytilus), 51ff, 258
edwardsi (Bathydrilus), 59
Egypt, 44
eiseni (Achaeta), 76
Eiseniella, 40, 76
elegans (Bratislavia), 44
elinguis (Nais), 19, 24f, 28, 40, 47, 135, 187, 196f, 255, 257
Ellisodrilus, 224, 226
Elodea, 175
elongata (Himanthalia), 52
Embolocephalus, 66, 70
embryonic development, 144, 166f
Enchytraeidae/enchytraeids, 17ff, 31ff, 51ff, 66f, 69, 77f, 80, 89, 92ff, 103f, 111, 116ff, 133f, 173, 175, 177, 187, 195, 199, 236, 241f, 246, 248, 263
Enchytraeus, 32, 35, 67, 69, 241, 246, 251, 263
endemics/icity, 63ff
energy budget, 133f, 136
Enteromorpha, 54f, 104
Entoprocta, 91
environmental factor/s, 97ff
environmental indicators, 31
environmental variables, 73ff
Ephemeroptera, 134f, 193ff
epidermal gland cells, 229, 235
epidermis, 229, 231, 234ff
Epirodrilus, 67, 70f
Erpobdella, 263, 279ff
Erpobdellidae, 280, 282
esculenta (Alaria), 52
estuarine, 18, 22, 103ff
Eudrilidae, 12, 15, 63f, 67, 69
Euhirudinea, 277ff
euprostate/s, 11f, 15
Europe, 23f, 28, 40f, 44, 47, 73
euryhaline species, 256f
eutrophic species, 158f, 185f, 188, 191, 199
eutrophication, 157ff, 169f, 179, 182
evelinae (Slavina), 21f, 24, 28
excavatus (Isochaetides), 92
eximius (Isochaetides), 92
external fertilization, 226
extinction, 68

Fabricia, 55
factorial correspondence analysis, 150f
falciformis (Rhyacodrilus), 39, 41, 48, 76
fecundity, 125ff, 141, 166f
feeding habitats, 81, 263
ferox (Spirosperma), 39, 98f, 158, 161, 186ff
fertilizer, 169
filamentous alga, 175, 194
finite growth rate, 130f
flabellisetosus (Sketodrilus), 39, 42
Fontinalis, 137
fontinalis (Physa), 195
food availability, 169, 181f
food niche, 121
food quality, 169

food selection, 121
food web/s, 115, 121
foreli (Pristina), 42, 179ff
fossularis (Stylaria), 66, 94
founding stocks, 68
France, 44, 147f
Frearidrilus, 39
freshwater, 11, 17ff, 37ff
frici (Paranais), 40, 43, 47
Fridericia, 31ff, 66, 69, 76, 93
Fucus, 52
fulleri (Varichaetidrilus), 6
funiculus (Opistocysta), 19ff, 28
furcatus/a (Dero), 23, 28, 40, 42f, 47

Galapagos, 112
galba (Fridericia), 32ff
galloprovincialis (Mytilus), 54
gammarids, 64, 68
Gammarus, 138
Gastropoda/gastropods, 55, 134, 195
Gelidium, 60f
generation time, 145
genetic variation, 258
genital papillae, 15
genitalisetifera (Insulodrilus), 67
geographical variability, 35, 258
geometra (Piscicola), 263, 279ff
georgei (Inermidrilus), 53, 56f
Georgia, 41
Germany, 32ff, 115ff, 229f
ghilianii (Haementeria), 279ff
giacobbei (Coralliodrilus), 39
Gianius, 39
giant setae, 42f
glacial relict, 91
glandulosa (Cognettia), 22f, 76
glandulosus (Stylodrilus), 7
Glossiphonia, 263, 279ff
Glossiphoniidae, 280ff
gordioides (Haplotaxis), 39, 41, 45, 66, 207ff, 241ff, 246, 248
grain size, 97, 103, 108, 112
grandis (Haemopis), 279ff
grandisetosus (Limnodrilus), 66
Grania, 51, 53, 56f, 60, 103f, 259
grawerti (Pygmaeodrilus), 67
grazer/grazing, 115, 122
Great Lakes, North American, 199
green algae, 121
groundwater, 147ff
growth, 125, 130f, 163, 165ff, 199, 201, 203f
Guaranidrilus, 22f, 28
Guatemala, 24
Gulf of Finland, 185
gurwitschi (Thalassodrilides), 39, 104ff
gut contents, 101
Guyana, 11f, 17ff
guyanae (Kathrynella), 11ff, 23

Haber, 39, 66, 70, 149
Haemadipsa, 279ff
Haemadipsidae, 280
Haementeria, 279ff
Haemonais, 40
Haemopidae, 282
Haemopis, 263, 279ff
Haiti, 23f
Halidrys, 55
hammoniensis (Potamothrix), 39, 66f, 86, 98, 100, 157ff, 185ff
Haplotaxidae/haplotaxids, 15, 37, 39, 41, 45, 47, 66f, 69, 207, 241ff
Haplotaxis, 39, 66, 69, 207, 241
Harpacticoida/harpacticoids, 55, 258
hatching, 263, 266
hattai (Tubifex), 269ff
Hediste, 255
heideri (Parergodrilus), 236, 238
helical muscle fibers, 207ff
Helobdella, 263, 275
Helodrilus, 40
Hemienchytraeus, 17ff, 67, 69
hemprichi (Aeolosoma), 94
Henlea, 93
heringianus (Stylodrilus), 7, 39, 41, 76, 78, 80, 82, 98ff, 157f, 185ff
Heterochaeta, 251
Heterodrilus, 39
heuscheri (Potamothrix), 39, 66f, 98, 100, 158, 161, 187
hexachlorocyclohexane (see lindane)
Himanthalia, 52
hirsuta (Campecopaea), 54
Hirudinaria, 279ff
Hirudinea/hirudinean, 134f, 255, 263, 275, 277ff
Hirudinidae, 280ff
Hirudo, 255, 263, 279ff
Hislopia, 91
histochemistry, 219ff
hoffmeisteri (Limnodrilus), 19, 24f, 28, 39, 66f, 76, 86, 98, 100, 126, 134ff, 141, 143ff, 150ff, 157ff, 173ff, 185ff
holoandric, 11, 15
holti (Cambarincola), 219ff
Homochaeta, 40, 66, 69, 71
Hrabeiella, 229ff
hrabetovae (Limnodriloides), 39, 104f, 107, 112
Hyale, 54
Hydra, 195
Hydracarina, 195
Hydrogamasus, 54
Hydrozoa, 196
hyporheic/os, 1, 9, 147ff

Iberian Peninsula, 20, 44, 59, 73ff
Iceland, 59
Idotea, 54f
ignotus (Tubifex), 39, 67, 76, 79, 82, 98f, 149, 186ff
Ilyodrilus, 39, 70, 98, 173, 187
Inanidrilus, 39
India, 23f
indicator species, 157, 159, 206
indicus (Dero), 19, 23, 26, 28
Inermidrilus, 53, 56ff
inermis (Stuhlmannia), 67
instabilis (Xironogiton), 225
Insulodrilus, 66, 69, 71
intercalibration tests, 204, 206
intermedia (Vejdovskyella), 40, 42, 187f
internal fertilization, 225
interspecific differences, 35
interstitial, 41
intertidal, 51ff

intertidal zones, 52ff
intraspecific variability/tion, 31, 34f, 41ff
Ireland, 51ff
Isochaetides, 67f, 70, 89, 92f, 187
isoelectric focusing, 31ff
isoporus (Lamprodrilus), 87, 89, 93f, 185ff
isozyme analysis, 31, 34
Israel, 41, 63ff
Italy, 19, 37ff, 103ff, 126, 141ff, 229f

Japan, 63ff
japonica (Kawamuria), 67
japonicus (Aulodrilus), 186f
javanica (Hirudinaria), 279ff
jenkinae (Pristinella), 21f, 24, 27f, 40f, 47, 67, 150, 153
joseenensis (Cycliobdella), 279ff
josinae (Specaria), 40, 76ff, 187
Jugoslavia (former), 104, 112

Kathrynella, 11ff, 21, 23
Kawamuria, 67
Kenya (Lake Victoria), 63ff
kessleri (Tasserkidrilus), 92
komareki (Rhynchelmis), 66
krasnopolskiae (Chaetogaster), 44

lacustris (Acroloxus), 118
lacustris (Eclipidrilus), 39f
lacustris (Gammarus), 138
lacustris (Isochaetides), 67
lacustris (Schoenoplectus), 116
lacustris (Stylaria), 40, 47, 66, 76, 78, 115ff, 150, 173ff, 187, 196
lacuum (Criodrilus), 40, 66
Lake Baikal, 63ff, 94
Lake Belau, 116ff
Lake Biwa, 63ff
Lake Constance, 97
Lake Garda, 142
Lake Geneva, 157ff
Lake Joux, 157ff
Lake Kinneret, 63ff
Lake Lisan, 63
Lake Malawi/Nyasa, 63ff
Lake Morat, 157ff
Lake Neuchatel, 157ff
Lake Ohrid, 63ff
Lake Sevan, 133ff
Lake Tahoe, 67
Lake Taimyr, 89ff
Lake Tanganyika, 63ff
Lake Titicaca, 63ff
Lake Victoria, 63ff
lakes, 89ff, 97ff, 157ff
lakes (Russian), 85ff
Laminaria, 52
Lamprodrilus, 7, 66, 68f, 87, 89, 185
langi (Chaetogaster), 149
lankesteri (Stylodrilus), 7
lapillus (Nucella), 54
Lasaea, 54
Laurencia, 51ff
LC50, 199, 201, 204f
Lebanon, 41, 44
leech/es, 6, 277ff
leidyi (Pristina), 42, 67
lemani (Bythonomus [=Stylodrilus]), 158, 241, 245
lemani (Stylodrilus), 39, 41
Lemna, 175, 178
leniusculus (Pacifastacus), 220
leruthi (Pelodrilus), 207ff, 241f, 244, 248
leruthi (Trichodrilus), 39, 41
leucocephalus (Stylodrilus), 66
leydigi(i) (Amphichaeta), 40f, 135, 187, 196
lichen zone, 52
Lichina, 51ff
Lichina zone, 52ff
life span, 138
life-history strategies, 277ff
Ligia, 54
limnaei (Chaetogaster), 40, 66, 117f
Limnatis, 279ff
limnicola (Nereis), 258
limnobius (Aulodrilus), 39, 187
Limnochironomus, 143
Limnodriloides, 39, 59, 103
Limnodrilus, 19, 39, 66, 70, 76, 86, 93, 126, 134, 141, 143, 150, 153, 157, 173, 185
Limoniidae, 195f
limosella (Rhynchelmis), 39, 241, 245
limosus (Monopylephorus), 39, 41
limpets, 52f
lindane, 201, 204f
lineatus (Lumbricillus), 67
litoralis (Paranais), 40, 59, 187
littoral zone (lakes), 115, 133ff
littoralis (Hydrogamasus), 54, 59
Littorina, 52
locomotion, 264
lodeni (Dero), 19, 23, 26, 28
lomondi (Arcteonais), 44, 66, 187
longidentata (Pristinella), 19, 22, 24, 27f
longiseta (Pristina), 40, 42, 47, 117f, 150, 153, 173ff
Lumbricidae, 78, 80, 89, 255
Lumbricillus, 51, 53, 56ff, 67, 69, 93, 258
Lumbricobdella, 279ff
Lumbriculidae/lumbriculids, 1ff, 37ff, 64, 66, 68f, 77f, 80, 89, 92f, 97, 100, 133f, 157ff, 163, 199, 241f, 245, 248
Lumbriculus, 1, 6ff, 39, 66, 69, 76, 94, 136, 150, 163, 173, 187, 241
Lumbricus, 255
lusitanicus (Mesenchytraeus), 76
Lycodrilus, 70
Lymnaea, 195
Lymphachaeta, 70

Macedonia (Lake Ohrid), 63ff
macgrathi (Marionina), 53, 56ff
Macrobdella, 279ff
macrocephala (Cambarincola), 224
macrochaeta (Pristina), 22, 24, 28
macrophytes, 86f
magna (Daphnia), 204
magnus (Aktedrilus), 39
Malawi (Lake Malawi), 63ff
mammosus (Epirodrilus), 66
Manayunkia, 91
marina (Arenicola), 258
marine, 22, 37ff, 51ff, 103ff, 251, 253, 256
marine leeches, 280f

Marionina, 22, 53, 56ff, 69, 76, 93, 149, 255, 258
martensi (Insulodrilus), 67
maslinicensis (Limnodriloides), 39, 103f, 107, 112
Mastocarpus, 52
maturation stage, 125ff
mayflies (also see Ephemeroptera), 163
medicinalis (Hirudo), 255, 257f, 263, 279ff
mediterraneus (Aktedrilus), 39
megadrile/s, 11ff, 15, 17ff, 241, 248
Megascolecidae, 255
Melaraphe, 54
menoni (Pristinella), 40f, 47
meristic suppression, 15
Mesenchytraeus, 23, 69, 76
mesocosms, 169f, 182
mesotrophic species, 158, 161
messanensis (Pirodrilus), 39
metameres, 207f
metandric, 11, 15
Metataxis, 67, 69
Metschaina, 67, 69
michaelseni (Isochaetides), 187
microdrile/s, 15, 17, 241, 246, 248
Micropsectra, 143
Microscolex, 15
Middle East, 41
migration, 125, 193, 196f
mineralization, 73f, 78f, 81
minutus (Enchytraeus), 241
mites, 54f, 59
mixing index (Gizinski), 85
moldaviensis (Potamothrix), 98f, 149, 158, 187
molluscs, 109, 135
monfalconensis (Haber), 39, 42
Monopylephorus, 39, 241, 247
monospermathecus (Aktedrilus), 39, 104ff
montagui (Chthamalus), 54
Montserrat Island, 24
Morocco, 41, 44, 64
morphology, 31ff
mortality, 141, 143, 145
Moselle (River), 147ff
multisetosa (Paranais), 44
multisetosus (Quistadrilus), 6, 149
multivariate analysis/es, 73ff, 175
muricata (Pontobdella), 279ff
muscle fiber, 207ff
muscle growth, 207ff
musculus (Tenagodrilus), 1ff
mussel zone, 52f, 54
mussels/mussel beds, 51ff
myoblasts, 208, 211
Mytilus, 51ff, 258
Myxobdella, 279ff

Naididae/naidids, 6, 17ff, 37ff, 63ff, 78, 80, 89, 93, 115ff, 133, 135f, 151, 172ff, 193, 195f, 199, 255
naidina (Homochaeta), 40
Nais, 19, 40ff, 66, 69, 71, 76, 87, 94, 115ff, 135, 150, 153, 173, 187, 196, 255
neapolitana (Eiseniella), 40
Nematoda, 92f, 195f
Nemertea/ans, 54, 59
neoendemic/s, 67
Neonais, 69
Nereidae, 255
Nereis, 258
neritoides (Melaraphe), 54
nerthus (Tubifex), 39
Netherlands, 169ff
Neva Mouth, 185ff
Neva River, 185f
newaensis (Tubifex), 39f, 185ff
Nicaragua, 24
nilotica (Limnatis), 279ff
nilssoni (Hyale), 54
nitrogen, 169ff, 185
nivea (Dero), 40, 42, 44, 47, 150
North Africa, 44, 59
North America, 17, 23f, 28, 41f, 59, 89
North Sea, 112
Norway, 59
notopora (Pristinella), 19, 21, 24, 27f, 40f
Nucella, 54

obtusa (Dero), 40, 42, 45, 47, 67, 173ff
obtusus (Caecidotea), 6
oceanica (Ligia), 54
ochridanus (Limnodrilus), 66
ochridensis (Criodrilus), 66
Ocnerodrilidae, 63f, 67, 69
Ocnerodrilus, 67, 69
octoculata (Erpobdella), 263, 279ff
officinalis (Corallina), 51ff
Oligochaeta, 278f
oligochaete index (IOBS), 149, 151
oligotrophic species, 158f, 161, 185f, 189, 199
Ophidonais, 40, 187
Opistocysta, 19
Opistocystidae/opistocystids, 17ff
Orconectes (Gremicambarus), 220
Orconectes (Procericambarus), 220
ordination, 174f
organic content, 104, 108
organic pollutants, 85, 87
organic pollution, 137
orogenesis, 63f
Orthocladius, 91
osborni (Pristinella), 40, 47, 76, 78, 150, 153
Oscillatoria, 160
osmolality (body fluids), 252ff
osmoregulation, 251ff, 256ff
osmotic stress, 251ff
Ostracoda, 195
oxygen, 68, 70f, 73f, 77, 79, 93, 101, 142f, 161, 169ff, 189
oxygen depletion, 85, 87, 133ff, 169, 180, 182
Ozobranchidae, 280
Ozobranchus, 279ff

P/B ratio, 133f, 141, 145
Pacifastacus (Pacifastacus), 220
pacifica (Abarenicola), 258
Pallasea, 186
pallens (Theromyzon), 279ff
palmata (Dero), 22f, 26, 28
palustris (Cernosvitoviella), 76f, 82
Panama, 112
papillate tubificid/s, 92

Parachilota, 15
Paracladopelma, 143
Paraguay, 23f
paraguayensis (Allonais), 44
Paralauterborniella, 143
Paranadrilus, 22, 24f, 28
Paranais, 40, 66, 187
Pararhyacodrilus, 70
Parasinelobus, 54
parasita (Ripistes), 44, 150, 187f
Paratendipes, 143
pardalis (Nais), 40, 42, 47, 66f, 76f, 79, 82, 150f, 187, 196f
Parergodrilidae, 238
Parergodrilus, 236
parthenogenesis, 41, 269, 271
parthenopaeus (Phallodrilus), 39
particle size, 97ff, 104
parvus (Chaetogaster), 40f, 47
parvus (Stylodrilus), 66, 76, 78ff
patriarchalis (Helodrilus), 40
pectinata (Dero), 67
pectinatus (Limnodriloides), 39
Pectinodrilus, 39
pelagica (Idotea), 54
peledina (Acanthobdella), 277, 283
Pelodrilus, 207, 241
Peloscolex, 94
Pelvetia, 52
penial seta/e, 11ff, 15
penis/es, 7f
pennatifida (Laurencia), 51ff
periglandulata (Hrabeiella), 229, 238
periphytic naidids, 71
periphyton, 115
perrieri (Fridericia), 76f, 79, 82
perspicax (Salifa), 279ff
Peru, 17ff, 42, 63ff
peruviana (Pristina) see americana (Pristina)
pescei (Frearidrilus), 39, 42, 47
pH, 73, 75ff
Phallodrilus, 39, 59
Philaemon, 279ff
phosphorus, 157f, 161, 169ff
Phragmites, 88, 115, 118
Phreodrilidae, 64, 66f, 69
phylogenetic analysis, 6f
phylogeny, 219f, 224, 225, 259, 277ff
Physa, 195
physiographical characteristics, 73, 75ff
pierantoni (Limnodriloides), 39
pigueti (Aulodrilus), 21f, 24, 28, 39, 66, 187
Piguetiella, 44, 187
Pirodrilus, 39
Piscicola, 263, 279ff
Piscicolidae, 280ff
placidus (Orconectes), 220
placoides (Hislopia), 91
Platybdella, 279ff
platybdellids, 280
Plecoptera, 197
pluriseta (Aulodrilus), 39, 98, 149, 179f
Poland, 47, 193ff
pollutants, 73
pollution, 147ff
pollution-tolerant, 150, 152
Polychaeta/polychaetes, 54, 59, 91, 109, 225, 236, 238, 255f, 258
Polypedilum, 143
pond/s, 1, 6, 9
Pontobdella, 279ff
pontobdellids, 280
Pontodrilus, 255
Pontoporeia, 186
population density, 145
population dynamics, 115ff, 125ff, 141
population dynamics model, 125ff
population structure, 125
Porphyra, 54
Portugal, 73ff
Potamothrix, 39, 66, 70, 86, 98, 134, 149, 157f, 185, 187
pragensis (Trichodrilus), 39
pranzoi (Tectidrilus), 39
primary production, 133, 135ff
primitive megadrile, 15, 248
principal component analysis/es, 77ff
Pristina, 17ff, 40f, 43, 45, 66, 69, 71, 76, 117, 147, 173, 179
Pristinella, 17ff, 40f, 43, 45, 67, 69, 76, 116ff, 147
proandric, 11, 15
proboscidea (Pristina), 42
Procladius, 143
profundicola (Limnodrilus), 39, 66, 92, 94, 98, 100, 158, 173ff, 187
Propappidae, 37, 40, 63f, 69
Propappus, 40, 69, 147, 190
prostate, 219ff
protein pattern/s, 31ff
protein secretions, 219ff
protozoa, 121
Protuberodrilus, 76
Psammoryctides, 39, 66, 70, 117, 149, 158, 187
pseudobtusa (Nais), 40, 47, 66, 94, 117f, 196f
Pseudolycodrilus, 69
Pseudorhynchelmis, 69
Puerto Rico, 112
pumilio (Lumbricillus), 59
punctatus (Rhyacodrilus), 66
pungens (Philaemon), 279ff
pusilla (Grania), 53, 56f
pusillus (Adelodrilus), 39
pygmaea (Lichina), 51ff
Pygmaeodrilus, 67, 69
pygmaeus (Lamprodrilus), 66

quadrispinosa (Pallasea), 186
Quistadrilus, 6, 149

Raba River, 193ff
rectisetosus (Pectinodrilus), 39
redundancy analysis, 169, 172
reef/s, 111
relict species, 67
relicts, 186
reproduction, 163ff, 199ff, 263ff
reproductive periods, 94, 144
reproductive system, male, 7, 219ff, 264
reservoirs, 141ff, 193, 197
respiration, 133ff, 257
respiratory behaviour, 248
reticulata (Tisbe), 258

Rhizodrilus, 20, 24, 27, 67, 70, 71
rhoadesi (Orconectes), 220
Rhyacodrilinae/rhyacodrilines, 17ff
Rhyacodriloides, 70
Rhyacodrilus, 39, 41, 47f, 66f, 70, 76, 94, 134, 149, 153, 187
Rhynchelmis, 7, 39, 66, 69, 241
Rhynchobdellida, 280, 282
rigida (Ulva), 104
ring tests, 204
ringulata (Alexandrovia), 89, 92ff
riparia (Marionina), 149
Ripistes, 44, 69, 150, 187
rivalis (Lumbricillus), 258
rivulorum (Tubifex) (see tubifex), 269, 271
robustus (Cambarus), 220
rocky shore, 51ff
rosea (Pristinella), 40, 76, 79, 82
roseus (Limnodriloides), 39
rotifers, 121
rouxi (Barbronia), 279ff
rubescens (Oscillatoria), 160
rubra (Lasaea), 54
rudimentary gonads, 1, 4f, 8
running water/s, 73
Russia, 63ff, 85ff, 89ff, 185ff
rusticus (Orconectes), 220

sabella (Fabricia), 55
sabellids/sabellid polychaetes, 55, 58
Salifa, 279ff
sanguinea (Bichaeta), 39, 158
sanguisuga (Haemopis), 263, 279ff
sanguivory, 278, 282, 284
sannio (Amphichaeta), 40
sarcomeres, 208ff, 235
Sardinia, 39ff
sardus (Aktedrilus), 39
Saudi Arabia, 112
sawayai (Dero), 21, 23, 26, 28, 67
saxatilis (Littorina), 54
scanning electron microscope/y, 40
Schoenoplectus, 116
scoticus (Lumbricillus), 59
seasonal succession, 115, 118ff
secondary production, 141
secretions, reproductive system, 219ff
sediment bioassay, 163ff
sediment-water interface, 85
segment numbering, 11, 219
Semibalanus, 54
semifuscus (Lumbricillus), 51, 53, 56ff
serpentina (Ophidonais), 40, 187
serratus (Fucus), 55
seta/ae, 6, 42ff, 229, 231ff
setal muscles, 231
setosa (Homochaeta), 40
setosus (Chaetogaster), 42, 44
shaefferi (Lumbricobdella), 279ff
Shannon (-Weaver) diversity index, 103, 108, 186
Siberia, 89ff
Sicily, 37ff
Siculo-maghrebian range, 41
siliquosa (Halidrys), 55
silt, 97ff
sima (Pristinella), 21, 24, 28, 40
simplex (Nais), 40f, 94, 173ff, 187, 196
simplex (Paranais), 44
siolii (Tubifex), 19ff, 24f, 27f
size, 125
Sketodrilus, 39
Slavina, 20, 40, 66, 69, 76, 117, 178, 187
South America, 17ff, 42, 167
sowerbyi (Branchiura), 39, 66f, 125, 149, 163ff, 241
Spain, 199
Sparganophilidae/sparganophilids, 17ff
Spartina, 121
Specaria, 40, 69, 76, 187
speciation, 28, 63, 67f
species associations, 19ff
species composition, 169, 185
species distributions, 23f, 28, 37ff
species flocks, 63f, 67f
speciosa (Manayunkia), 91
speciosity, 67
speciosus (Haber), 39, 42, 66
sperm sacs, 11ff
spermatheca, 15, 221ff
spermatophores, 219, 223, 225f
Sphaeriidae/sphaeriids, 186, 189
sphagnetorum (Cognettia), 76f, 79, 82
spiral cleavage, 266, 269ff
Spirosperma, 39, 66, 70, 76, 98, 157, 186
St. Thomas, 23
stage-weight matrix model, 128ff
stagnalis (Helobdella), 263
stammeri (Trichodrilus), 39, 41
Standeria, 15
stankovici (Spirosperma), 66
statutus (Coralliodrilus), 39
stellatus (Chthamalus), 54
stellatus (Mastocarpus), 52
Stempellina, 143
stephensoni (Hemienchytraeus), 67
Stephensoniana, 44, 66, 69
stolci (Nais), 40
strandi (Trichodrilus), 39, 41
Stuhlmannia, 67, 69
Stygocapitella, 238
Stylaria, 40, 66, 69, 76, 94, 115, 121, 150, 173, 187, 196
Stylodrilus, 1, 6ff, 39, 66, 69, 76, 89, 93f, 98, 150, 153, 157f, 185
Styloscolex, 69
substrate type, 73f, 76, 79f, 86, 97ff, 112, 134, 136f, 150, 169, 172ff, 194
subterranea (Stygocapitella), 238
subterranean, 37ff
subterraneus (Rhyacodrilus), 149
subtilis (Heterodrilus), 39
Surinam, 17, 23f
survival, 125f, 163, 165f
Svetlovia, 70
swimming (Naididae), 197
swirencowi (Tubificoides), 39, 103f, 107, 112
Switzerland, 157ff
synclites (Pristina), 21, 24, 28
Syngenodrilinae, 15
Syria, 44

tanaids, 55, 58

tanganyikae (Alluroides), 66
tanganyikae (Epirodrilus), 67
tanganyikae (Insulodrilus), 67
tanganyikae (Metschaina), 67
Tanytarsus, 143
Tanzania (Lake Tanganyika), 63ff
Tasserkidrilus, 70, 92f
tatrensis (Cernosvitoviella), 76, 78
taxonomy, 1ff, 11ff, 31ff, 37ff
Tectidrilus, 39
Teleuscolex, 69
temperature, 133f, 142ff, 199ff
templetoni (Ilyodrilus), 39, 98, 173ff, 187
Tenagodrilus, 1ff
Teneridrilus, 70
tenuis (Spirosperma), 66
terrestrial, 251, 253, 258
terrestrialism (leeches), 280ff
terrestris (Lumbricus), 255, 257
tesselatum (Theromyzon), 263
tetraedra (Eiseniella), 40, 76ff
Thalassodrilides, 39, 104
Theromyzon, 263, 279ff
tidepools, 51f, 55ff
Tisbe, 258
Tortola, 23
tourenqui (Protuberodrilus), 76
toxicity, 199, 201, 204ff
transfer rate, 130f
Trichodrilus, 7f, 39, 47, 135f, 153
Trichoptera, 134f, 195, 197
Trinidad, 23f
trivandrana (Stephensoniana), 44, 66
tropical, 11ff, 17ff, 163, 167
Tubifex, 19, 21f, 24f, 39, 66, 70, 76, 94, 98, 125, 134, 141, 149, 157, 163, 173, 185, 199, 220, 241, 269f
tubifex (Tubifex), 39, 41, 66, 76, 79, 82, 94, 98, 125ff, 134, 136, 141ff, 157ff, 163ff, 173ff, 185ff, 199ff, 220, 225, 241f, 247, 269
tubifex blanchardi form (Tubifex), 167
Tubificidae/tubificids, 6, 17ff, 37ff, 51ff, 63f, 66ff, 70, 78, 80, 89, 92f, 97f, 100, 103f, 111, 116ff, 125ff, 133, 137, 141, 143, 147, 150, 157ff, 163, 169ff, 196f, 199, 241, 246ff, 259
Tubificinae, 67
Tubificoides, 39, 52, 103
Tunisia, 41, 44
Tupidrilus, 22f, 28
Turkey, 44
tyndariensis (Coralliodrilus), 39
Typha, 116
Tyrrhenian Sea, 112

udekemianus (Limnodrilus), 39, 66f, 98f, 173ff, 186ff
Uganda (Lake Victoria), 63ff
ulstrupae (Marionina), 53, 56f, 60
ultrastructure, 207ff, 229ff, 241ff
Ulva, 55, 104
umbilicalis (Porphyra), 54
Uncinais, 19, 40, 69, 87, 149, 178f, 187
uncinata (Uncinais), 19, 22, 24, 40, 47, 87, 149, 178ff, 187
Unio, 188f
United States, 24, 111
Uruguay, 23f

valvidiana (Americobdella), 279ff
variabilis (Nais), 40, 47, 66f, 76, 79, 82, 117f, 173ff, 196f
Varichaetidrilus, 6
variegatus (Lumbriculus), 39, 41, 76, 78, 80, 82, 94, 136, 150f, 163, 173ff, 187f, 190, 241, 245
vas/a deferens/entia, 1, 6, 9, 15
vejdovskyanum (Bothrioneurum), 39, 66
Vejdovskyella, 40, 69, 76, 149, 187
vejdovskyi (Potamothrix), 39, 158
velutinus (Spirosperma), 39, 76f, 82, 157f, 187, 189
velutinus (Peloscolex [=Spirosperma]), 94
Venetian lagoon, 103ff
Venezuela, 17, 23f
Verrucaria, 52f
Verrucaria zone, 52ff
vesiculosus (Fucus), 52
vestibulatus (Tubificoides), 39, 103f, 107, 112
victoriensis (Xironogiton), 219f, 222ff
videomicroscopy, 18
volki (Propappus), 40, 147f, 150, 153, 190

waldvogeli (Haemonais), 40
Wales, 59, 197
water content (body), 252ff
wave action, 85f
weight, 104, 118, 125ff, 134f, 143, 165, 201
West Indies, 23f
Western Australia, 59
wet weight/dry weight, 134, 201, 252
wind, 85f

Xironogiton, 219, 224f

yamaguchii (Embolocephalus), 66

Zaire (Lakes Tanganyika and Victoria), 63ff
zavreli (Haber), 39, 42, 47
zeylanica (Haemadipsa), 279ff
zonal distribution (in lakes), 89, 93f
zoobenthos, 157ff
zoogeography, 63ff
Zostera, 104